

Day : Tuesday
Date: 8/29/2006

Time: 11:00:38

**PALM INTRANET**

Inventor Information for 10/762498

Inventor Name	City	State/Country
MAKI, ATSUSHI	FUCHU	JAPAN
YAMAMOTO, TSUYOSHI	KAWAGOE	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign E](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060193226 A1	US- PGPUB	20060831	Optical disk recording and playback device	369/59.11		Tsukihashi; Akira et al.
US 20060184047 A1	US- PGPUB	20060817	Optical measurement instrument for living body	600/476		Yamashita; Yuichi et al.
US 20060184046 A1	US- PGPUB	20060817	Optical measurement instrument for living body	600/476		Yamashita; Yuichi et al.
US 20060184045 A1	US- PGPUB	20060817	Optical measurement instrument for living body	600/476		Yamashita; Yuichi et al.
US 20060178839 A1	US- PGPUB	20060810	Optical measurement instrument and optical measurement method	702/19		Maki; Atsushi et al.
US 20060161763 A1	US- PGPUB	20060720	Microcomputer and encoding system for instruction code and CPU	712/241		Ito; Naoki et al.
US 20060159273 A1	US- PGPUB	20060720	Unauthorized-alteration detecting method, unauthorized-alteration detecting program, and recording medium having recorded the program	380/287		Aoki; Naofumi et al.
US 20060145276 A1	US- PGPUB	20060706	Optical semiconductor device and fabrication method therefor	257/431	257/466; 438/57; 438/83	Tomabechei; Shuichi et al.
US 20060120421 A1	US- PGPUB	20060608	Semiconductor laser and manufacturing method thereof	372/43.01		Matsuda; Manabu et al.
US 20060100526 A1	US- PGPUB	20060511	Optical bioinstrumentation for living body	600/476		Yamamoto; Yukari et al.
US 20060100525 A1	US- PGPUB	20060511	Biological optical measurement system	600/476		Katura; Takusige et al.
US 20060093263 A1	US- PGPUB	20060504	Collimator array and method for manufacturing the same	385/33		Akashi; Tamotsu et al.
US 20060093256 A1	US- PGPUB	20060504	Optical switch	385/18	385/24	Yamashita; Shinji et al.
US 20060076613 A1	US- PGPUB	20060413	Semiconductor device	257/330		Ohyanagi; Takasumi et al.
US 20060071217 A1	US- PGPUB	20060406	Semiconductor device	257/77		Ohyanagi; Takasumi et al.
US	US-	20060323	Semiconductor devices	257/133		Ohyanagi;

20060060884 A1	PGPUB					Takasumi et al.
US 20060039668 A1	US- PGPUB	20060223	Optical fiber array	385/137	385/52	Yamamoto; Tsuyoshi et al.
US 20060028967 A1	US- PGPUB	20060209	Optical disk	369/272.1	369/275.1	Tsukihashi; Akira et al.
US 20060025659 A1	US- PGPUB	20060202	Optical measuring device for substances in vivo	600/316		Kiguchi; Masashi et al.
US 20060013082 A1	US- PGPUB	20060119	Method of controlling focus of optical disk recording and reproducing device	369/44.27	369/44.25	Ogura; Hitoshi et al.
US 20060006343 A1	US- PGPUB	20060112	Optical measurement system for living bodies and method thereof	250/458.1		Tanaka; Naoki et al.
US 20050288592 A1	US- PGPUB	20051229	Light measurement system for living body	600/473		Yamamoto, Tsuyoshi
US 20050276191 A1	US- PGPUB	20051215	Optical disk, optical disk recording method, and optical disk recording apparatus	369/53.2	369/47.1; 369/53.45	Kashihara, Yutaka et al.
US 20050270966 A1	US- PGPUB	20051208	Optical disc recording method and apparatus	369/275.1	369/275.4; 369/53.2	Yamamoto, Tsuyoshi et al.
US 20050261578 A1	US- PGPUB	20051124	Living body measurement system by light, image display methodology and program	600/427	600/310	Yamamoto, Tsuyoshi et al.
US 20050258454 A1	US- PGPUB	20051124	Silicon carbide semiconductor device and method for manufacturing the same	257/211		Kumar, Rajesh et al.
US 20050254743 A1	US- PGPUB	20051117	Optical modulator, optical transmitter, optical modulating method and manufacturing method of the optical modulator	385/3		Akiyama, Suguru et al.
US 20050230051 A1	US- PGPUB	20051020	Tape printer	156/361	156/363; 156/384; 156/387	Yamamoto, Tsuyoshi et al.
US 20050220394 A1	US- PGPUB	20051006	Micromirror element and optical switch	385/18	359/839	Yamamoto, Tsuyoshi et al.
US 20050213978 A1	US- PGPUB	20050929	Wavelength demultiplexing unit	398/79		Yamashita, Shinji et al.
US 20050192490	US- PGPUB	20050901	Living body light measurement system and	600/310		Yamamoto, Tsuyoshi et al.

A1			signal processing method			
US 20050171440 A1	US- PGPUB	20050804	Optical system for measuring metabolism in a body and imaging method	600/476	600/310; 600/473	Maki, Atsushi et al.
US 20050148857 A1	US- PGPUB	20050707	Optical system for measuring metabolism in a body and imaging method	600/407	600/473	Maki, Atsushi et al.
US 20050139389 A1	US- PGPUB	20050630	Method of mounting electronic component on substrate without generation of voids in bonding material	174/260	174/258	Yamamoto, Tsuyoshi et al.
US 20050135734 A1	US- PGPUB	20050623	Photonic switch	385/18		Akashi, Tamotsu et al.
US 20050131303 A1	US- PGPUB	20050616	Optical system for measuring metabolism in a body and imaging method	600/473		Maki, Atsushi et al.
US 20050099929 A1	US- PGPUB	20050512	Optical disk	369/94	369/108	Yamamoto, Tsuyoshi et al.
US 20050099644 A1	US- PGPUB	20050512	Data processing apparatus, printing apparatus, print control method, storing medium storing computer-readable program therein, and program	358/1.12	358/1.2	Nomoto, Masakazu et al.
US 20050094519 A1	US- PGPUB	20050505	Optical recording/reproducing apparatus	369/53.2	369/116; 369/47.5	Kishida, Takanori et al.
US 20050091447 A1	US- PGPUB	20050428	Information recording and reproducing device	711/112		Kuma, Toshitaka et al.
US 20050068575 A1	US- PGPUB	20050331	Electronic apparatus that automatically distinguishes connected cable type and changes over to an operation mode corresponding to the cable	358/1.15	710/100	Yamamoto, Tsuyoshi et al.
US 20050062072 A1	US- PGPUB	20050324	Coupled superconducting charge quantum bit device and controlled-not gate using the same	257/222	257/E27.007	Yamamoto, Tsuyoshi et al.
US 20050031392 A1	US- PGPUB	20050210	Data processing apparatus, print control method, computer-readable storage medium, and program stored therein	400/62		Yamamoto, Tsuyoshi et al.
US 20050030334	US- PGPUB	20050210	Data processing apparatus, print control method,	347/19		Kai, Hiroshi et al.

A1			computer-readable storage medium, and program stored therein			
US 20040254475 A1	US- PGPUB	20041216	Optical measuring instrument	600/473	600/476; 700/17	Maki, Atsushi et al.
US 20040246522 A1	US- PGPUB	20041209	Slip printing system	358/1.15		Yamamoto, Tsuyoshi et al.
US 20040236226 A1	US- PGPUB	20041125	Biological measurement probe, biological optical measurement instrument using the same, and brain function measurement instrument	600/473		Maki, Atsushi et al.
US 20040191747 A1	US- PGPUB	20040930	Training assistant system	434/323		Atsumori, Hirokazu et al.
US 20040190822 A1	US- PGPUB	20040930	Wavelength selector switch	385/24	385/11; 385/16	Yamamoto, Tsuyoshi et al.
US 20040184024 A1	US- PGPUB	20040923	Optical measurement apparatus for a living body	356/4.03		Katura, Takusige et al.
US 20040171919 A1	US- PGPUB	20040902	Living body light measuring device	600/310	600/323; 600/333	Maki, Atsushi et al.
US 20040127784 A1	US- PGPUB	20040701	Optical measurement instrument for living body	600/407	600/408; 600/473; 600/476	Yamashita, Yuichi et al.
US 20040120232 A1	US- PGPUB	20040624	Tilt control method and apparatus for optical disc recording and playback apparatus	369/44.32	369/53.19	Yamamoto, Tsuyoshi et al.
US 20040114479 A1	US- PGPUB	20040617	Tilt control method and apparatus for optical disc recording and playback apparatus	369/44.32	369/53.19	Yamamoto, Tsuyoshi et al.
US 20040077960 A1	US- PGPUB	20040422	Measurement system for living bodies	600/504		Tanaka, Naoki et al.
US 20040077935 A1	US- PGPUB	20040422	Optical system for measuring metabolism in a body	600/310		Hirabayashi, Yukiko et al.
US 20040065812 A1	US- PGPUB	20040408	Amusement system using living body measurement by light, head setter for the amusement system, and program for use in the	250/221		Yamamoto, Tsuyoshi et al.

			amusement system			
US 20040054271 A1	US- PGPUB	20040318	Biophotometer	600/341		Maki, Atsushi et al.
US 20040042355 A1	US- PGPUB	20040304	Tilt control for optical disc recording and playback apparatus	369/44.32	369/53.19	Yamamoto, Tsuyoshi et al.
US 20040006260 A1	US- PGPUB	20040108	Optical system for measuring metabolism in a body	600/310	600/473; 600/476	Sato, Hiroki et al.
US 20030231831 A1	US- PGPUB	20031218	Input-output optical system of spatially optical coupled type, and optical switch	385/39		Yamamoto, Tsuyoshi et al.
US 20030185493 A1	US- PGPUB	20031002	Photonic switch	385/17	385/18	Akashi, Tamotsu et al.
US 20030123837 A1	US- PGPUB	20030703	Optical fiber array	385/137	385/78	Yamamoto, Tsuyoshi et al.
US 20030120399 A1	US- PGPUB	20030626	Flight control system	701/4	244/175	Yamamoto, Tsuyoshi
US 20030088162 A1	US- PGPUB	20030508	Biological photometric device	600/310		Yamamoto, Tsuyoshi et al.
US 20030051905 A1	US- PGPUB	20030320	Method of mounting electronic component on substrate without generation of voids in bonding material	174/259	174/260; 29/840; 29/841	Yamamoto, Tsuyoshi et al.
US 20030042538 A1	US- PGPUB	20030306	Silicon carbide power device having protective diode and method for manufacturing silicon carbide power device having protective diode	257/328	257/E21.066; 257/E29.104; 257/E29.313; 257/E29.327; 257/E29.335; 257/E29.338; 257/E29.347	Kumar, Rajesh et al.
US 20030042491 A1	US- PGPUB	20030306	Silicon carbide semiconductor device and manufacturing method	257/77	257/E21.066; 257/E29.104; 257/E29.313	Kumar, Rajesh et al.
US 20030012240 A1	US- PGPUB	20030116	SEMICONDUCTOR LASER AND METHOD OF MANUFACTURING THE SAME	372/46.01		YAMAMOTO, TSUYOSHI et al.
US 20020184768 A1	US- PGPUB	20021212	Spherical bearing and method for manufacturing the same	29/898.044	29/898.04; 29/898.047	Michioka, Hidekazu et al.
US 20020183603 A1	US- PGPUB	20021205	Optical measurement device	600/323	600/473; 600/476	Yamamoto, Tsuyoshi et al.

US 20020115536 A1	US- PGPUB	20020822	Balance training device	482/51	482/148	Hojo, Hiroyuki et al.
US 20020100867 A1	US- PGPUB	20020801	Amusement system using living body measurement by light, head setter for the amusement system, and program for use in the amusement system	250/221		Yamamoto, Tsuyoshi et al.
US 20020095089 A1	US- PGPUB	20020718	Amusement system based on an optical instrumentation method for the living body	600/476	128/897	Yamamoto, Tsuyoshi et al.
US 20020063967 A1	US- PGPUB	20020530	Optical switch using tilt mirrors	359/641	359/638; 359/640	Yamamoto, Tsuyoshi et al.
US 20020028997 A1	US- PGPUB	20020307	Device for controlling equipment by using signals from a living body	600/476	600/477	Ito, Yoshitoshi et al.
US 20010047131 A1	US- PGPUB	20011129	Optical system for measuring metabolism in a body and imaging method	600/407		Maki, Atsushi et al.
US 20010043767 A1	US- PGPUB	20011122	Spherical bearing and method for manufacturing the same	384/206	384/208	Michioka, Hidekazu et al.
US 20010032976 A1	US- PGPUB	20011025	Semiconductor light-emitting device	257/14		Ishikawa, Tsutomu et al.
US 20010018554 A1	US- PGPUB	20010830	Optical measurement instrument for living body	600/178		Yamashita, Yuichi et al.
US 20010003529 A1	US- PGPUB	20010614	SEMICONDUCTOR LASER	372/46.01		YAMAMOTO, TSUYOSHI
US 7092594 B2	USPAT	20060815	Wavelength selector switch	385/24	385/11; 385/16; 385/37	Yamamoto; Tsuyoshi et al.
US 7072700 B2	USPAT	20060704	Biological photometric device	600/310	600/473; 600/476	Yamamoto; Tsuyoshi et al.
US 7070415 B2	USPAT	20060704	Balance training device	434/247	472/59	Hojo; Hiroyuki et al.
US 7047149 B1	USPAT	20060516	Optical measurement instrument and optical measurement method	702/150	702/32	Maki; Atsushi et al.
US 7031565 B2	USPAT	20060418	Photonic switch	385/18	385/16; 385/20	Akashi; Tamotsu et al.
US 7022083 B2	USPAT	20060404	Measurement system for living bodies	600/504	600/310; 600/322; 600/336; 600/479;	Tanaka; Naoki et al.

					600/481; 600/500	
US 7017755 B1	USPAT	20060328	Large coating lump removing device	209/660	106/739; 209/238; 209/262; 209/379	Nakamura; Masura et al.
US 7002922 B1	USPAT	20060221	Communication network specific charging method and communication network specific charging apparatus	370/253	379/114.03	Shigenari; Masanobu et al.
US 6978073 B2	USPAT	20051220	Optical fiber array	385/137	385/78	Yamamoto; Tsuyoshi et al.
US 6947779 B2	USPAT	20050920	Optical measurement device	600/323	600/407; 600/473	Yamamoto; Tsuyoshi et al.
US 6941656 B2	USPAT	20050913	Spherical bearing and method for manufacturing the same	29/898.049	29/898.043; 29/898.047; 29/898.048	Michioka; Hidekazu et al.
US 6925222 B2	USPAT	20050802	Photonic switch	385/18	385/17	Akashi; Tamotsu et al.
US 6907279 B2	USPAT	20050614	Optical system for measuring metabolism in a body	600/322	600/310	Sato; Hiroki et al.
US 6904302 B2	USPAT	20050607	Optical system for measuring metabolism in a body	600/344	600/340	Hirabayashi; Yukiko et al.
US 6901284 B1	USPAT	20050531	Optical measuring instrument	600/476	600/310; 600/473	Maki; Atsushi et al.
US 6895269 B2	USPAT	20050517	Device for controlling equipment by using signals from a living body	600/476	250/345; 356/432; 600/310; 600/407; 600/473; 600/477	Ito; Yoshitoshi et al.
US 6855981 B2	USPAT	20050215	Silicon carbide power device having protective diode	257/328	257/135; 257/287; 257/355; 257/E21.066; 257/E29.104; 257/E29.313; 257/E29.327; 257/E29.335; 257/E29.338; 257/E29.347	Kumar; Rajesh et al.
US 6771426 B2	USPAT	20040803	Input-output optical system of spatially optical coupled type, and optical switch	359/641	359/619; 359/621; 385/18; 385/31; 385/33; 385/39; 385/47; 385/74;	Yamamoto; Tsuyoshi et al.

					385/89	
US 6768573 B1	USPAT	20040727	Polarization control optical space switch	359/250	359/254; 359/256; 359/259; 359/301; 359/304; 359/316; 359/320; 385/16; 398/55; 398/57; 398/65	Nishi; Tetsuya et al.
US 6723047 B1	USPAT	20040420	Volition induction apparatus and input/output apparatus which use optical measuring instrument, and recording medium	600/309	128/905; 340/825.19; 463/36; 600/504	Yamamoto; Tsuyoshi et al.
US 6657183 B2	USPAT	20031202	Amusement system using living body measurement by light, head setter for the amusement system, and program for use in the amusement system	250/221	250/227.11; 356/41	Yamamoto; Tsuyoshi et al.
US 6650973 B2	USPAT	20031118	Flight control system	701/4	244/175; 701/11; 701/3	Yamamoto; Tsuyoshi
US 6640133 B2	USPAT	20031028	Optical measurement instrument for living body	600/476	600/407; 600/473	Yamashita; Yuichi et al.
US 6618334 B1	USPAT	20030909	Optical disk recording/reproducing device employing waveform correction of laser output signal	369/47.51	369/53.26; 369/59.11	Yamamoto; Tsuyoshi
US 6611698 B1	USPAT	20030826	Optical measuring instrument	600/310	600/322; 600/335; 600/340; 600/473	Yamashita; Yuichi et al.
US 6573534 B1	USPAT	20030603	Silicon carbide semiconductor device	257/77	257/328; 257/329; 257/76; 257/E21.066; 257/E29.04; 257/E29.104; 257/E29.259; 257/E29.26; 257/E29.27; 438/105; 438/212; 438/268;	Kumar; Rajesh et al.

					438/931	
US 6560191 B1	USPAT	20030506	Laser output control in optical disk recording/reproducing device	369/116	369/47.53; 369/53.37	Yamamoto; Tsuyoshi
US 6560180 B1	USPAT	20030506	Disk storage device	369/53.31	369/47.34; 369/59.24	Tsukihashi; Akira et al.
US 6542763 B1	USPAT	20030401	Optical measurement equipment and recording medium and optical measurement method	600/310	600/322; 600/344	Yamashita; Yuichi et al.
US 6512783 B1	USPAT	20030128	Semiconductor laser and method of manufacturing the same	372/45.01	438/40; 438/41	Yamamoto; Tsuyoshi et al.
US 6482704 B1	USPAT	20021119	Method of manufacturing silicon carbide semiconductor device having oxide film formed thereon with low on-resistances	438/285	257/E21.063; 257/E21.066; 257/E29.104; 257/E29.255; 257/E29.259; 257/E29.26; 257/E29.262; 438/268	Amano; Shinji et al.
US 6429976 B1	USPAT	20020806	Optical switch using tilt mirrors	359/641	359/290; 359/627	Yamamoto; Tsuyoshi et al.
US 6426515 B2	USPAT	20020730	Semiconductor light-emitting device	257/14	257/17; 438/22	Ishikawa; Tsutomu et al.
US 6343087 B1	USPAT	20020129	Semiconductor laser	372/46.01		Yamamoto; Tsuyoshi
US 6321110 B1	USPAT	20011120	Device for controlling equipment by using signals from a living body	600/476	250/351; 250/352; 356/39; 356/40; 356/41; 356/432; 600/477	Ito; Yoshitoshi et al.
US 6285473 B1	USPAT	20010904	Polarization control optical space switch	359/15	349/194; 349/196; 349/202; 359/250; 359/253; 359/254; 359/256; 359/259; 359/316; 359/320; 398/9	Nishi; Tetsuya et al.
US 6282438 B1	USPAT	20010828	Optical system for measuring metabolism in a body and imaging method	600/476	356/342; 600/473	Maki; Atsushi et al.
US 6262439	USPAT	20010717	Silicon carbide semiconductor	257/77	257/331;	Takeuchi;

B1			device		257/339; 257/341; 257/356; 257/E21.062; 257/E21.066; 257/E29.04; 257/E29.104; 257/E29.133; 257/E29.143; 257/E29.26	Yuichi et al.
US 6245442 B1	USPAT	20010612	Metal matrix composite casting and manufacturing method thereof	428/614	257/707; 257/717; 257/720; 257/E23.112; 361/704; 361/719; 428/469; 428/596; 428/600; 428/653	Towata; Shinichi et al.
US 6243043 B1	USPAT	20010605	Glass antenna device for an automobile	343/713	343/704	Terashima; Fumitaka et al.
US 6240309 B1	USPAT	20010529	Optical measurement instrument for living body	600/407	250/227.2; 356/320; 356/435; 356/447; 600/473; 600/476	Yamashita; Yuichi et al.
US 6188455 B1	USPAT	20010213	Liquid crystal display with two optical compensation units	349/76	349/179; 349/181	Yamamoto; Tsuyoshi
US 6134031 A	USPAT	20001017	Polarization control optical space switch	359/15	349/194; 349/196; 349/197; 359/250; 359/253; 359/254; 359/256; 359/259; 359/301; 359/316; 359/320; 398/1	Nishi; Tetsuya et al.
US 6128517 A	USPAT	20001003	Optical system for measuring metabolism in a body and imaging method	600/310	600/473; 600/476	Maki; Atsushi et al.
US 6109507 A	USPAT	20000829	Method of forming solder bumps and method of forming preformed solder bumps	427/97.2	228/248.1; 228/254; 29/840;	Yagi; Harumi et al.

					427/97.4; 427/98.3; 427/98.5; 427/99.2; 438/615	
US 6107661 A	USPAT	20000822	Semiconductor device and method of manufacturing same	257/330	257/331; 257/332; 257/341; 257/390; 257/E21.419; 257/E29.028; 257/E29.199; 257/E29.201; 257/E29.258; 257/E29.26	Okabe; Naoto et al.
US 6100140 A	USPAT	20000808	Manufacturing method of semiconductor device	438/270	257/E21.419; 257/E29.26; 438/138; 438/268; 438/585; 438/589	Okabe; Naoto et al.
US 6081632 A	USPAT	20000627	Method of producing optical waveguide system, optical device and optical coupler employing the same, optical network and optical circuit board	385/5	257/E51.028; 257/E51.033; 257/E51.041; 257/E51.047; 257/E51.049; 257/E51.051; 385/122; 385/143; 385/50; 430/290; 430/321	Yoshimura; Tetsuzo et al.
US 6072435 A	USPAT	20000606	Glass antenna device for an automobile	343/713	343/704	Terashima; Fumitaka et al.
US 6057558 A	USPAT	20000502	Silicon carbide semiconductor device and manufacturing method thereof	257/77	257/330; 257/E21.066; 257/E29.028; 257/E29.04; 257/E29.052; 257/E29.104; 257/E29.133; 257/E29.136; 257/E29.26	Yamamoto; Tsuyoshi et al.
US 6054752 A	USPAT	20000425	Semiconductor device	257/629	257/630; 257/652; 257/E21.066; 257/E29.008; 257/E29.016; 257/E29.104;	Hara; Kazukuni et al.

					257/E29.257; 257/E29.26	
US 6038242 A	USPAT	20000314	Multiwavelength light source	372/34	372/20; 372/50.12	Yamamoto; Tsuyoshi et al.
US 6034983 A	USPAT	20000307	Method of fabricating compound semiconductor device and optical semiconductor device	372/43.01	257/E21.131; 372/50.1; 385/131; 385/43	Fujii; Takuya et al.
US 6015737 A	USPAT	20000118	Production method of a vertical type MOSFET	438/270	257/E21.419; 257/E29.004; 257/E29.028; 257/E29.131; 257/E29.26; 438/138; 438/271; 438/589	Tokura; Norihito et al.
US 5960162 A	USPAT	19990928	Image processing apparatus which converts multi-value density data and outputs the converted data	358/1.9	345/600; 345/603; 345/604; 358/518; 358/527	Yamamoto; Tsuyoshi
US 5937273 A	USPAT	19990810	Fabricating compound semiconductor by varying ratio of stagnant layer thickness and mean free path of seed material	438/46	257/E21.131; 438/37; 438/493; 438/680; 438/796; 438/925; 438/933; 438/935	Fujii; Takuya et al.
US 5925911 A	USPAT	19990720	Semiconductor device in which defects due to LOCOS or heat treatment are suppressed	257/341	257/329; 257/335; 257/E21.318; 257/E21.419; 257/E29.201; 257/E29.258; 257/E29.26	Okabe; Naoto et al.
US 5920664 A	USPAT	19990706	Board-to-board and unit-to-unit optical interconnection system	385/16	349/196; 385/147; 385/18; 385/20; 385/36	Hirabayashi; Katsuhiko et al.
US 5803909 A	USPAT	19980908	Optical system for measuring metabolism in a body and imaging method	600/310	600/473; 600/476	Maki; Atsushi et al.
US 5780324 A	USPAT	19980714	Method of manufacturing a vertical semiconductor device	438/138	257/E21.419; 257/E29.004; 257/E29.028; 257/E29.131; 257/E29.26;	Tokura; Norihito et al.

					438/135; 438/268; 438/710	
US 5776812 A	USPAT	19980707	Manufacturing method of semiconductor device	438/268	257/E21.419; 257/E29.004; 257/E29.028; 257/E29.131; 257/E29.26; 438/270; 438/271; 438/700; 438/710	Takahashi; Shigeki et al.
US 5719585 A	USPAT	19980217	Diversity glass antenna for an automobile	343/713	343/704	Tabata; Kouji et al.
US 5714781 A	USPAT	19980203	Semiconductor device having a gate electrode in a groove and a diffused region under the groove	257/329	257/263; 257/330; 257/333; 257/341; 257/389; 257/397; 257/E21.419; 257/E29.04; 257/E29.26	Yamamoto; Tsuyoshi et al.
US 5698880 A	USPAT	19971216	Semiconductor device having a groove with a curved part formed on its side surface	257/341	257/330; 257/331; 257/332; 257/342; 257/627; 257/E21.419	Takahashi; Shigeki et al.
US 5678556 A	USPAT	19971021	Imaging method for spatial distributions of absorber concentrations	600/477		Maki; Atsushi et al.
US 5675717 A	USPAT	19971007	Image processing apparatus and method for previewing a color image generated by a color printer and displayed at a host computer	358/1.9	358/501; 358/527	Yamamoto; Tsuyoshi
US 5654560 A	USPAT	19970805	Semiconductor device with current detecting function and method of producing the same	257/139	257/329; 257/335; 257/337; 257/355; 257/360; 257/E21.418	Nishizawa; Toshiaki et al.
US 5648859 A	USPAT	19970715	Liquid crystal microprism array, free-space optical interconnector, and optical switch	349/9	349/196; 349/200; 349/74; 349/84	Hirabayashi; Katsuhiko et al.
US 5627440 A	USPAT	19970506	Method of computing drive pattern for suppressing	318/568.21	318/568.22; 318/568.24;	Yamamoto; Tsuyoshi et al.

			vibration of industrial robot		318/611	
US 5619601 A	USPAT	19970408	Optical switch and optical distributor using polarization control and partial reflection	385/16	385/11; 385/18	Akashi; Tamotsu et al.
US 5609368 A	USPAT	19970311	Separation preventive pipe joint	285/12	285/231; 285/321	Maki; Atsushi et al.
US 5586554 A	USPAT	19961224	Optical system for measuring metabolism in a body	600/407	600/473; 600/476	Maki; Atsushi et al.
US 5581264 A	USPAT	19961203	Diversity glass antenna for an automobile	343/713	343/704; 343/725; 343/727	Tabata; Kouji et al.
US 5470770 A	USPAT	19951128	Manufacturing method of semiconductor device	438/297	148/DIG.126; 257/E21.285; 257/E21.419; 257/E29.26; 438/301; 438/443; 438/447; 438/548	Takahashi; Shigeki et al.
US 5464992 A	USPAT	19951107	Insulated gate bipolar transistor provided with a minority carrier extracting layer	257/139	257/786; 257/E21.383; 257/E29.066	Okabe; Naoto et al.
US 5453390 A	USPAT	19950926	Method of producing semiconductor device with current detecting function	438/138	148/DIG.126; 257/E21.418; 438/273	Nishizawa; Toshiaki et al.
US 5444343 A	USPAT	19950822	Method and apparatus for numerically controlling industrial machine	318/568.11	318/567; 318/568.2; 318/569	Enomoto; Minoru et al.
US 5408093 A	USPAT	19950418	Optical computed tomography equipment having image inverting optical device	250/227.26	250/341.1; 600/425	Ito; Yoshitoshi et al.
US 5365085 A	USPAT	19941115	Power semiconductor device with a current detecting function	257/139	257/154; 257/528; 257/578; 257/E29.257	Tokura; Norihito et al.
US 5217839 A	USPAT	19930608	Preparation process of toner	430/137.17	524/718; 524/719; 524/720	Yamada; Fumio et al.
US 5169793 A	USPAT	19921208	Method of making an insulated gate bipolar transistor having gate shield region	438/138	257/328; 257/E21.383; 257/E29.066; 438/140	Okabe; Naoto et al.
US 5162944 A	USPAT	19921110	Optical space switch and network for such optical space switches	359/247	359/251; 359/256; 359/259; 398/45	Yamamoto; Tsuyoshi et al.
US 4703393	USPAT	19871027	Mounting structure of flat-	361/773	174/555;	Yamamoto;

A			lead package-type electronic component		257/692; 257/696; 361/809	Tsuyoshi et al.
US 4436179 A	USPAT	19840313	Noise control apparatus	181/210	104/124; 105/452; 181/286; 181/288	Yamamoto; Tsuyoshi et al.
US 4426686 A	USPAT	19840117	Read-only memory device	365/104	365/94	Yamamoto; Tsuyoshi et al.